

SAFETY DATA SHEET

LH Medium Pro 629

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Trade name LH Medium Pro 629 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Filler ▼ Uses advised against None known. 1.3. Details of the supplier of the safety data sheet Company and address Dana Lim A/S Københavnsvej 220 DK-4600 Køge Denmark Tel: +45 56 64 00 70 Contact person Product Safety Department E-mail info@danalim.dk Revision 15/06/2023 SDS Version 3.0 Date of previous version 27/06/2022 (2.0) 1.4. Emergency telephone number Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures". SECTION 2: Hazards identification Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law. Classified according to Regulation (EC) No. 1272/2008 (CLP). 2.1. Classification of the substance or mixture Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law. 2.2. Label elements Hazard pictogram(s)

- Not applicable. Vot Signal word
- Not applicable.
- Hazard statement(s) Not applicable.
- Precautionary statement(s)
 - General
 - -
 - Prevention
 - Response



Storage

-Disposal

- 2
- Hazardous substances None known.

Additional labelling

EUH208, Contains Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

EUH210, Safety data sheet available on request.

- Active substance(s):
- bronopol (0.0361 g/100g)

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (0.00121 g/100g) 2.3. Other hazards

▼ Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. ▼ Substances

Not applicable. This product is a mixture.

3.2. ▼ Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
bronopol	CAS No.: 52-51-7 EC No.: 200-143-0 UK-REACH: Index No.: 603-085-00-8	<0.05%	Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	
Reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	CAS No.: 55965-84-9 EC No.: 911-418-6 UK-REACH: Index No.:	<0.0015%	EUH071 Acute Tox. 3, H301 Acute Tox. 2, H310 Skin Corr. 1C, H314 (SCL: 0.60 %) Skin Irrit. 2, H315 (SCL: 0.06 %) Skin Sens. 1A, H317 (SCL: 0.0015 %) Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with



him/her.

Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

▼ Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

▼ Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

▼ Burns

Not applicable.

4.2. ▼ Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

4.3. ▼Indication of any immediate medical attention and special treatment needed

None known.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. ▼ Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Some metal oxides

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. ▼ Personal precautions, protective equipment and emergency procedures

No specific requirements.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. ▼ Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. ▼ Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities



Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Recommended storage material Always store in containers of the same material as the original container.

Storage temperature

> 0°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. ▼ Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. ▼ Control parameters

Quartz (SiO2) Long term exposure limit (8 hours) (mg/m³): 0,1 (respirable fraction) Annotations: Carc = Capable of causing cancer and/or heritable genetic damage.

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

VDNEL

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	20 µg/m³
Long term – Local effects - Workers	Inhalation	20 µg/m³
Short term – Local effects - General population	Inhalation	40 µg/m³
Short term – Local effects - Workers	Inhalation	40 µg/m³
Long term – Systemic effects - General population	Oral	90 µg/kgbw/day
Short term – Systemic effects - General population	Oral	110 µg/kgbw/day

▼ PNEC

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		3.39 µg/L
Freshwater sediment		27 µg/kg
Intermittent release (freshwater)		3.39 µg/L
Intermittent release (marine water)		3.39 µg/L
Marine water		3.39 µg/L
Marine water sediment		27 µg/kg
Sewage treatment plant		230 µg/L
Soil		10 µg/kg

8.2. ▼ Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

▼ Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.



Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

▼ Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

Use only UKCA marked protective equipment.

Respiratory Equipment

Avoid breathing abrasive dust. When sanding, the dust can be removed at the source with a minimum class M vacuum cleaner connected to the sanding mashine.

Work situation	Туре	Class	Colour	Standards	
Upon during sanding of treated areas (No special precautions when handling the wet product)	SL	Ρ3	White	EN149	
Skin protection					

Skin protection

No specific requirements.

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0.1	> 480	EN374-2, EN388	

▼ Eye protection

No specific requirements.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Paste

Colour

Gray

Odour / Odour threshold

Testing not relevant or not possible due to the nature of the product.

рН

7-8

```
Density (g/cm<sup>3</sup>)
1
```

▼ Kinematic viscosity

Testing not relevant or not possible due to the nature of the product. Particle characteristics

Testing not relevant or not possible due to the nature of the product.

Phase changes

Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product. Boiling point (°C)

```
100
```

▼Vapour pressure

Testing not relevant or not possible due to the nature of the product. **Relative vapour density**

Testing not relevant or not possible due to the nature of the product. ▼ Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product. Data on fire and explosion hazards

▼ Flash point (°C)



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878
Testing not relevant or not possible due to the nature of the product.
▼ Flammability (°C)
Testing not relevant or not possible due to the nature of the product.
▼Auto-ignition temperature (°C)
Testing not relevant or not possible due to the nature of the product.
▼ Lower and upper explosion limit (% v/v)
Testing not relevant or not possible due to the nature of the product.
Solubility
Solubility in water
Completely soluble
▼n-octanol/water coefficient
Testing not relevant or not possible due to the nature of the product.
▼ Solubility in fat (g/L)
Testing not relevant or not possible due to the nature of the product.
9.2. Other information
▼ Other physical and chemical parameters
No data available.
▼ Oxidizing properties
Testing not relevant or not possible due to the nature of the product.
SECTION 10: Stability and reactivity
10.1. ▼Reactivity
No data available.
10.2. Chemical stability
The product is stable under the conditions, noted in section 7 "Handling and storage".
10.3. ▼Possibility of hazardous reactions
None known.
10.4. ▼ Conditions to avoid
None known.
10.5. Incompatible materials
Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

▼ Acute toxicity Product/substance Species: Route of exposure: Test: Result:	bronopol Rat Inhalation LC50 800 mg/L
Product/substance Species:	bronopol
Route of exposure: Test:	Dermal
Result:	1600 mg/kg ·
Product/substance Species:	bronopol Rat
Route of exposure: Test:	Oral
Result:	254 mg/kg ·
Product/substance Species:	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Rat
Route of exposure: Test:	Oral LD50



Product/substance Species: Rat Route of exposure: Initialation Test: Result: 0.33 mg/l, 4 h ecrosol - Product/substance Result: 0.33 mg/l, 4 h ecrosol - Product/substance Result: 141 mg/kg - Kin corrosion/irritation Based on available data, the classification criteria are not met. Encises ed damage/irritation Based on available data, the classification criteria are not met. Species: Guines pig Result: No adverse effect observed (not sensitising) Product/substance Species: Guines pig Result: Adverse effect observed (not sensitising) Product/substance Result: Adverse effect observed (not sensitising) Product/substance Species: Guines pig Result: Adverse effect observed (not sensitising) Product/substance Result: Adverse effect observed (not sensitising) Product/substance Result: Adverse effect observed (not sensitising) Product/substance Result: Adverse effect observed (sensitising) Product/substance Result: Adverse effect observed (sensitising) Product/substance Result: Adverse effect observed (sensitising) Product/substance Result: Adverse effect observed (sensitising) Product/substance Result: Adverse effect observed (sensitising) Product/substance Product/substance Product/substance Product/substance Product/substance Product/substance Product/substance Product/substance Product/substance Product/substance Product/substance Product/substance Product/substance Product/substance Product/substance Product/substance Product/substance Product/substance Product/substance	Result:	49,6-75 mg/kg ·
Species: Rat Route of exposure: LC50 Result: 0.33 mg/, 4 h aerosol- Product/substance Reaction mass of: 5-chioro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Species: Rabbit Route of exposure: Dermal Test: LD50 Result: 141 mg/kg- kin corrosion/irritation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Essification Species: Guinea pig Result: No adverse effect observed (not sensitising) Product/substance Reaction mass of: 5-chioro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Species: Guinea pig Result: No adverse effect observed (not sensitising) Product/substance Reaction mass of: 5-chioro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Species: Guinea pig Result: Adverse effect observed (censitising) Product/substance Reaction criteria are not met. arcinogenicity Based on available data, the classification criteria are not met. Based on available data, the classificat	Result.	
Route of exposure: LoSa Test: LCSa Result: 0.33 mg/l, 4 h aerosol · Product/substance Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Species: Result: Interview Dermal Test: LOS0 Result: 141 mg/kg - kin corrosion/inflation Based on available data, the classification criteria are not met. espiratory sensitisation Based on available data, the classification criteria are not met. Skin sensitisation Product/substance bronopol Species: Guinea pig Result: No adverse effect observed (not sensitising) Product/substance Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Species: Guinea pig Result: No adverse effect observed (not sensitising) Product/substance Reaction criteria are not met. Corrosingle chase on available data, the classification criteria are not met. Species: Guinea pig Result: Adverse effect observed (sensitising) Result: No adverse effect observed (sensitising) Result: <		
Test: LCS0 Result: 0.33 mg/l 4h aerosol · Product/Substance Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Result: LDS0 Result: 141 mg/kg · dist corresion/irritation Based on available data, the classification criteria are not met. Exploratory ensitisation Based on available data, the classification criteria are not met. Spiratory sensitisation Product/Substance Guine pig Result: No adverse effect observed (not sensitising) Product/Substance Guine pig Result: No adverse effect observed (not sensitising) Product/Substance Guine pig Result: No adverse effect observed (sensitising) Product/Substance Guine pig Result: No adverse effect observed (sensitising) Product/Substance Guine pig Result: No adverse effect observed (sensitising) Product/Substance He classification criteria are not met. Spiratory ensitiestion Product/Substance He classification criteria are not met. Spiratory ensitiestion Result: No adverse effect observed (sensitising) Product/Substance Guine pig Result: No adverse effect observed (sensitising) Product/Substance He classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. COT-speeted exposure Based on available data, the classification criteria are not met. COT-speeted exposure Based on available data, the classification criteria are not met. COT-speeted exposure Based on available data, the classification criteria are not met. 12. Information on other hezards Long term effects COTON 12. Ecological information COTON 21. Ecological information Cotter information		
Product/substance Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Route of exposure: Dermal Text: LDSP Result: 141 mg/kg - tin: corrosion/irritation Based on available data, the classification criteria are not met. erious eye damage/irritation Based on available data, the classification criteria are not met. espiratory sensitisation Product/substance bronopol Species: Guinea pig Result: No adverse effect observed (not sensitising) Product/substance bronopol Species: Guinea pig Result: Adverse effect observed (not sensitising) Product/substance bronopol Species: Guinea pig Result: Adverse effect observed (not sensitising) Product/substance bronopol Species: Guinea pig Result: Adverse effect observed (sensitising) Product/substance bronopol CDD 406 Species: Guinea pig Result: Adverse effect observed (sensitising) Product/substance bronopol Species: Guinea pig Result: Adverse effect observed (sensitising) Product/substance bronopol Species: Guinea pig Result: Adverse effect observed sensitising) Product/substance bronopol Species: Species: Spe	•	
Species: Rabbit Poule of exposure: Demail Test: LD50 Result: 141 mg/kg - din corrosion/irritation Based on available data, the classification criteria are not met. reprise yee damage/irritation Based on available data, the classification criteria are not met. Species: Guinea pig Product/substance bronopol Species: Guinea pig Result: Adverse effect observed (not sensitising) Product/substance bronopol Species: Guinea pig Result: Adverse effect observed (sensitising) Product/substance product/substance Species: Guinea pig Result: Adverse effect observed (sensitising) Product/substance the classification criteria are not met. archogenicity Based on available data, the classification criteria are not met. Off-single exposure Based on available data, the classification criteria are not met. Of-single exposure Based on available data, the classification criteria are not met. Of-single exposure Based on available data, the classification	Result:	0,33 mg/l, 4 h aerosol ·
Result: Dermal Test: LD50 Result: 141 mg/kg - Addition: Harmer and the classification criteria are not met. Procession/irritation Based on available data, the classification criteria are not met. Product/substance bronopol Species: Guinea pig Result: No adverse effect observed (not sensitising) Product/substance Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Test: Guinea pig Result: No adverse effect observed (sensitising) Product/substance Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Test: Guinea pig Result: Adverse effect observed (sensitising) Product/substance Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Test: Guinea pig Result: Adverse effect observed (sensitising) Result: Adverse effect observed (sensitising) Based on available data, the classification criteria are not met. COT-repeated exposure Based on available data, the classification criteri		
Test: LD50 Hesult: 141 mg/kg - Hard Corrosion/irritation Based on available data, the classification criteria are not met. erious eye damage/irritation Based on available data, the classification criteria are not met. espiratory sensitisation Based on available data, the classification criteria are not met. Skin sensitisation Product/substance bronopol Species: Guinea pig Result: No adverse effect observed (not sensitising) Product/substance Core D406 Species: Guinea pig Result: Adverse effect observed (not sensitising) Product/substance Core D406 Species: Guinea pig Result: Adverse effect observed (sensitising) erm cell mutagenicity Based on available data, the classification criteria are not met. CO-Single exposure Based on available data, the classification criteria are not met. CO-Single exposure Based on available data, the classification criteria are not met. CO-Single exposure Based on available data, the classification criteria are not met. CO-Single exposure Based on available data, the classification criteria are not met. CO-Single exposure Based on available data, the classification criteria are not met. CO-Single exposure Based on available data, the classification criteria are not met. CO-Single exposure Based on available data, the classification criteria are not met. CO-Single exposure Based on available data, the classification criteria are not met. CO-Single exposure Based on available data, the classification criteria are not met. Spirition hazard Endocrine disrupting properties None known. Endocrine disrupting properties None known. Endocrine disrupting properties None known. Endocrine disrupting properties None known. Endocrine disrupting properties Not applicable. CO-T-I2: Ecological information Quartz (SIO2) has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. ECICON 12: Ecological information Product/substance bronopol Species: Fish		
Hit corrosion/irritation Based on available data, the classification criteria are not met. Produce year and the classification criteria are not met. Sepiratory sensitisation Based on available data, the classification criteria are not met. Skin sensitisation Produce year and the classification criteria are not met. Skin sensitisation Produce year and the classification criteria are not met. Skin sensitisation Produce year and the classification criteria are not met. Skin sensitisation Produce year and the classification criteria are not met. Secies: Guinea pig Result: No adverse effect observed (not sensitising) erm cell mutagenicity Based on available data, the classification criteria are not met. errolegation Guinea pig Based on available data, the classification criteria are not met. COC 406 Or single exposure Based on available data, the classification criteria are not met. Corporated exposure Based on available data, the classification criteria are not met. Corporated exposure Based on available data, the classification criteria are not met. Corporated exposure Based on available data, the classification criteria are not met.	•	
Based on available data, the classification criteria are not met. sprious eye damage/irritation Based on available data, the classification criteria are not met. spriatory sensitisation Product/substance bronopol Species: Guinea pig Result: No adverse effect observed (not sensitising) Product/substance Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Product/substance Guinea pig Result: Adverse effect observed (sensitising) Product/substance Guinea pig Result: Adverse effect observed (sensitising) Product/substance Guinea pig Result: Adverse effect observed (sensitising) Based on available data, the classification criteria are not met. arcinogenicity Based on available data, the classification criteria are not met. erroductive toxicity Based on available data, the classification criteria are not met. Or 1-single exposure Based on available data, the classification criteria are not met. Spiration hazard Lor I-ropeated exposure Based on available data, the classification criteria are not met. Spiration hazard Lor I-ropeated exposure Based on available data, the classification criteria are not met. 12. Information on other hazards Long term effects None known. Endocrine disrupting properties None known. Endocrine disrupting properties Nor applicable. Cotter information Quartz (SiO2) has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has b	Result:	141 mg/kg ·
erious seve damage/irritation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Skin sensitiastion Product/substance bronopol genesiti No adverse effect observed (not sensitising) Product/substance COCC 406 Species: Guinea pig Result: Adverse effect observed (not sensitising) Product/substance COCC 406 Species: Guinea pig Result: Adverse effect observed (sensitising) erm cell mutagenicity Based on available data, the classification criteria are not met. arcinogenicity Based on available data, the classification criteria are not met. arcinogenicity Based on available data, the classification criteria are not met. COT-single exposure Based on available data, the classification criteria are not met. 107-repeated exposure Based on available data, the classification criteria are not met. 107-single exposure Based on available data, the classification criteria are not met. 107-single exposure Based on available data, the classification criteria are not met. 107-single exposure Based on available data, the classification criteria are not met. 107-single exposure Based on available data, the classification criteria are not met. 12. Information on other hazards Long term effects Not applicable. Other information Quarz (SiO2) has been classified by IARC as a group 1 carcinogen. Respirable Hxvarts has been classified by IARC as a group 1 carcinogen. Respirable Hxvarts has been classified by IARC as a group 1 carcinogen. Respirable Hxvarts has been classified by IARC as a group 1 carcinogen. Respirable Hxvarts has been classified by IARC as a group 1 carcinogen. Respirable Hxvarts has been classified by IARC as a group 1 carcinogen. Respirable Hxvarts has been classified by IARC as a group 1 carcinogen. Respirable HXvarts has been classified by IARC as a group 1 carcinogen. Respirable HXvarts has been classified by IARC as a group 1 carcinogen. Respirable HXvarts has been classified by IARC as a group	kin corrosion/irritation Based on available da	ata, the classification criteria are not met.
Based on available data, the classification criteria are not met. Skin sensitisation Product/substance bronopol Species: Cuinea pig Result: No adverse effect observed (not sensitising) Product/substance Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Test method: OECD 406 Species: Guinea pig Result: Adverse effect observed (sensitising) erm cell mutagenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Correspondence Based on available data, the classification criteria are not met. Correspondence Based on available data, the classification criteria are not met. Correspondence Based on available data, the classification criteria are not met. Correspondence Based on available data, the classification criteria are not met. Correspondence Based on available data, the classification criteria are not met. Correspondence Based on available data, the classification criteria are not met. Correspondence Based on available data, the classification criteria are not met. Correspondence Based on available data, the classification criteria are n	erious eye damage/irrit	tation
Based on available data, the classification criteria are not met. Skin sensitisation Product/substance bronopol Species: Guinea pig Result: No adverse effect observed (not sensitising) Product/substance Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Test method: OECD 406 Species: Guinea pig Result: Adverse effect observed (sensitising) erm cell mutagenicity Based on available data, the classification criteria are not met. acricnogenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. TOT-single exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. TOT-single exposure Based on available data, the classification criteria are not met. TOT-single exposure Based on available data, the classification criteria are not met. TOT-single exposure Based on available data, the classification criteria are not met. Tormaton 1.2. Infor		
Product/substance Species: So innea pig No adverse effect observed (not sensitising) Product/substance Test method: Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) OECD 406 Species: Species: Guinea pig Result: Adverse effect observed (sensitising) erm cell mutagenicity Based on available data, the classification criteria are not met. arcinogenicity Based on available data, the classification criteria are not met. OT-single exposure Based on available data, the classification criteria are not met. ToT-rspected exposure Based on available data, the classification criteria are not met. ToT-rspected exposure Based on available data, the classification criteria are not met. Spicition hazard Based on available data, the classification criteria are not met. 1.2. Information on other hazards 'Long term effects None known. 'Endocrine disrupting properties Not applicable. 'Other information Quartz (SiO2) has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. 'Effortion 12: Ecological information Quartz (SiO2) has been classified by IARC as a group 1 carcinogen. 'Effortion 12: Ecological information Quartz (SiO2) has been classified by IARC as a group 1 carcinogen. 'Effortion: 21 days 'Test: NOEC Result: 0,06 mg/1-	Based on available da	
species: Guinea pig Result: No adverse effect observed (not sensitising) Product/substance Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Product/substance Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Species: Guinea pig Result: Adverse effect observed (sensitising) erm cell mutagenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Encoded ata and a classification criteria are not met. OT-single exposure Based on available data, the classification criteria are not met. TOT-single exposure Based on available data, the classification criteria are not met. Spiration hazard Based on available data, the classification criteria are not met. Spiration hazard Based on available data, the classification criteria are not met. Spiration hazard Based on available data, the classification criteria are not met. Spiration hazard Based on available data, the classification criteria are not met. Spiration hazard Based on available data, the classification criteria are not met. Cong term effects Non known. Chong term effects None known. Cother information	Skin sensitisation	
Result: No adverse effect observed (not sensitising) Product/substance Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Test method: OECD 406 Species: Guinea pig Result: Adverse effect observed (sensitising) erm cell mutagenicity Based on available data, the classification criteria are not met. arcinogenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. TOT-single exposure Based on available data, the classification criteria are not met. TOT-single exposure Based on available data, the classification criteria are not met. TOT-single exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Cotrigotiper perties		
Product/substance Test method: GECD 406 Species: Guinea pig Result: Adverse effect observed (sensitising) erm cell mutagenicity Based on available data, the classification criteria are not met. arcinogenicity Based on available data, the classification criteria are not met. arcinogenicity Based on available data, the classification criteria are not met. TOT-single exposure Based on available data, the classification criteria are not met. TOT-single exposure Based on available data, the classification criteria are not met. TOT-single exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. Tot method trace Long term effects None known. <t< td=""><td></td><td></td></t<>		
Test method: OECD 406 Species: Guinea pig Result: Adverse effect observed (sensitising) erm cell mutagenicity Based on available data, the classification criteria are not met. arcinogenicity Based on available data, the classification criteria are not met. eproductive toxicity Based on available data, the classification criteria are not met. 107-single exposure Based on available data, the classification criteria are not met. 107-single exposure Based on available data, the classification criteria are not met. 107-single exposure Based on available data, the classification criteria are not met. 107-single exposure Based on available data, the classification criteria are not met. 107-single exposure Based on available data, the classification criteria are not met. 107-single exposure Based on available data, the classification criteria are not met. 108-seffection on the hazards 1.2. Information on other hazards None known. Endocrine disrupting properties Not applicable. Other information Quartz (SiO2) has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. SECTION 12: Ecological information 2.1. ▼Toxicity Product/substance bronopol Species: Daphnia Duration: 21 days Test: NOEC Result: 0,06 mg/1 - Product/substance bronopol Species: Fish		
Species: Guinea pig Adverse effect observed (sensitising) erm cell mutagenicity Based on available data, the classification criteria are not met. arcinogenicity Based on available data, the classification criteria are not met. eproductive toxicity Based on available data, the classification criteria are not met. FOT-repeated exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. 107-repeated exposure Based on available data, the classification criteria are not met. 107-repeated exposure Based on available data, the classification criteria are not met. 107-repeated exposure Based on available data, the classification criteria are not met. 1.2. Information on other hazards 'Long term effects' None known. Cother information Quartz (SiO2) has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. SECTION 12: Ecological information Quartz (SiO2)		
Result: Adverse effect observed (sensitising) erm cell mutagenicity Based on available data, the classification criteria are not met. arcinogenicity Based on available data, the classification criteria are not met. eproductive toxicity Based on available data, the classification criteria are not met. TOT-single exposure Based on available data, the classification criteria are not met. TOT-single exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. TOT-single exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. TOT-single exposure Based on available data, the classification criteria are not met. 1.1. Information on other hazards Vang term effects None known. Venorine disrupting properties Not applicable. Voter information Quartz (SiO2) has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. Stotticty Product/substance Daphnia		
Based on available data, the classification criteria are not met. arcinogenicity Based on available data, the classification criteria are not met. eproductive toxicity Based on available data, the classification criteria are not met. TOT-single exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. Spiration hazard Based on available data, the classification criteria are not met. 1.2. Information on other hazards 'Long term effects Not applicable. 'Other information Quartz (SiO2) has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. SECTION 12: Ecological information 2.1. ▼Toxicity Product/substance bronopol Species: Daphnia Duration: 21 days Test: NOEC Result: 0,06 mg/l -		
arcinogenicity Based on available data, the classification criteria are not met. eproductive toxicity Based on available data, the classification criteria are not met. TOT-single exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. Spiration hazard Based on available data, the classification criteria are not met. 1.2. Information on other hazards Long term effects None known. Cother information Quartz (SiO2) has been classified by IARC as a group 1 carcinogen. ECTION 12: Ecological information C1. ▼Toxicity Product/substance bronopol Species: Daphnia Duration: 21 days Fest: NOEC Result: 0,06 mg/l - Product/substance bronopol Species: Fish	erm cell mutagenicity Based on available da	ata, the classification criteria are not met.
eproductive toxicity Based on available data, the classification criteria are not met. TOT-single exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. spiration hazard Based on available data, the classification criteria are not met. 1.2. Information on other hazards Long term effects None known. Endocrine disrupting properties Not applicable. Other information Quartz (SiO2) has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. EECTION 12: Ecological information 2.1. v Toxicity Product/substance bronopol Species: Daphnia Duration: 21 days Test: NOEC Result: 0,06 mg/1.	arcinogenicity	
Based on available data, the classification criteria are not met. TOT-single exposure Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. spiration hazard Based on available data, the classification criteria are not met. 1.2. Information on other hazards Long term effects None known. Tendocrine disrupting properties Not applicable. Other information Quartz (SiO2) has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. SECTION 12: Ecological information 2.1. ▼Toxicity Product/substance bronopol Species: Daphnia Duration: 21 days Test: NOEC Result: 0,06 mg/l ·		ita, the classification criteria are not met.
Based on available data, the classification criteria are not met. TOT-repeated exposure Based on available data, the classification criteria are not met. spiration hazard Based on available data, the classification criteria are not met. 1.2. Information on other hazards *Long term effects None known. *Endocrine disrupting properties Not applicable. *Other information Quartz (SiO2) has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. SECTION 12: Ecological information 2.1. ▼Toxicity Product/substance bronopol Species: Daphnia Duration: 21 days Test: NOEC Result: 0.06 mg/l · Product/substance bronopol Species: Fish	Based on available da	ata, the classification criteria are not met.
TOT-repeated exposure Based on available data, the classification criteria are not met. spiration hazard Based on available data, the classification criteria are not met. 1.2. Information on other hazards 'Long term effects None known. *Endocrine disrupting properties Not applicable. *Other information Quartz (SiO2) has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. SECTION 12: Ecological information 2.1. ▼Toxicity Product/substance bronopol Species: Daphnia Duration: 21 days Test: NOEC Result: 0,06 mg/1 ·		the classification systemia are not mot
Based on available data, the classification criteria are not met. spiration hazard Based on available data, the classification criteria are not met. 1.2. Information on other hazards 'Long term effects None known. 'Endocrine disrupting properties Not applicable. 'Other information Quartz (SiO2) has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. SECTION 12: Ecological information 21. ▼Toxicity Product/substance bronopol Species: Daphnia Duration: 21 days Test: NOEC Result: 0,06 mg/l ·		
Based on available data, the classification criteria are not met. 1.2. Information on other hazards 'Long term effects None known. 'Endocrine disrupting properties Not applicable. 'Other information Quartz (SiO2) has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. SECTION 12: Ecological information 21. ▼Toxicity Product/substance bronopol Species: Daphnia Duration: 21 days Test: NOEC Result: 0,06 mg/l · Product/substance bronopol Species: pronopol Species: Fish	Based on available da	
1.2. Information on other hazards Long term effects None known. Endocrine disrupting properties Not applicable. Other information Quartz (SiO2) has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. SECTION 12: Ecological information 2.1. ▼Toxicity Product/substance bronopol Species: Daphnia Duration: 21 days Test: NOEC Result: 0,06 mg/l ·		the the electric principal and met
Long term effects None known. Endocrine disrupting properties Not applicable. Other information Quartz (SiO2) has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. SECTION 12: Ecological information 2.1. ▼Toxicity Product/substance bronopol Species: Daphnia Duration: 21 days Test: NOEC Result: 0,06 mg/l · Product/substance bronopol Species: Fish		
None known. Endocrine disrupting properties Not applicable. Other information Quartz (SiO2) has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. SECTION 12: Ecological information 2.1. Toxicity Product/substance bronopol Species: Daphnia Duration: 21 days Test: NOEC Result: 0,06 mg/l · Product/substance bronopol Species: Fish		
Endocrine disrupting properties Not applicable. Not applicable. Other information Quartz (SiO2) has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. SECTION 12: Ecological information 2.1. ▼Toxicity Product/substance bronopol Species: Daphnia Duration: 21 days Test: NOEC Result: 0,06 mg/l・ Product/substance bronopol Species: NOEC Result: 0,06 mg/l・		
Not applicable. Other information Quartz (SiO2) has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. SECTION 12: Ecological information 2.1. ▼Toxicity Product/substance bronopol Species: Daphnia Duration: 21 days Test: NOEC Result: 0,06 mg/l · Product/substance bronopol Species: Fish		properties
Other information Quartz (SiO2) has been classified by IARC as a group 1 carcinogen. Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. SECTION 12: Ecological information 2.1. ▼Toxicity Product/substance bronopol Species: Daphnia Duration: 21 days Test: NOEC Result: 0,06 mg/l ·		
Respirabelt kvarts has been classified by IARC as a group 1 carcinogen. SECTION 12: Ecological information 2.1. ▼Toxicity Product/substance bronopol Species: Daphnia Duration: 21 days Test: NOEC Result: 0,06 mg/l · Product/substance bronopol Species: Fish	Other information	
SECTION 12: Ecological information 2.1. ▼Toxicity Product/substance bronopol Species: Daphnia Duration: 21 days Test: NOEC Result: 0,06 mg/l・ Product/substance bronopol Species: Fish		
2.1. ▼Toxicity Product/substance bronopol Species: Daphnia Duration: 21 days Test: NOEC Result: 0,06 mg/l · Product/substance bronopol Species: Fish	Respirabelt kvarts has	s been classified by IARC as a group 1 carcinogen.
Product/substancebronopolSpecies:DaphniaDuration:21 daysTest:NOECResult:0,06 mg/l ·Product/substanceSpecies:Fish	SECTION 12: Ecological	information
Product/substancebronopolSpecies:DaphniaDuration:21 daysTest:NOECResult:0,06 mg/l ·Product/substanceSpecies:Fish	2.1. ▼Toxicity	
Species: Daphnia Duration: 21 days Test: NOEC Result: 0,06 mg/l · Product/substance bronopol Species: Fish	-	bronopol
Test: NOEC Result: 0,06 mg/l · Product/substance bronopol Species: Fish		
Result: 0,06 mg/l · Product/substance bronopol Species: Fish		21 days
Product/substance bronopol Species: Fish		
Species: Fish		0,00 mg/l
	Product/substance	bronopol
	Species:	Fish 96 bours

Duration:

96 hours



Test:	LC50
Result:	41,2 mg/l ·
Product/substance	bronopol
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	1,4 mg/l ·
Product/substance	bronopol
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	0,4 mg/l ·
Product/substance	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	0,027 mg/l ·

12.2. ▼ Persistence and degradability

Product/substance	bronopol
Biodegradable:	Yes
Test method:	OECD 301 B
Result:	51-57%, Inherent, 28 days

Product/substanceReaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)Biodegradable:YesTest method:OECD 301 DResult:>60%

12.3. ▼ Bioaccumulative potential

Product/substanceReaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)Test method:Potential bioaccumulation:Potential bioaccumulation:NoLogPow:No data available.BCF:3.6Other information:

12.4. ▼ Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

- 12.6. ▼ Endocrine disrupting properties
- Not applicable.

12.7. ▼ Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. ▼ Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. EWC code

08 04 10 Waste adhesives and sealants other than those mentioned in 08 04 09

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information



	14.1 UN / ID	14.2 OUN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
MDG	-	-	-	-	-	-
ATA	-	-	-	-	-	-
Addition Not of 14.6. V Not a 14.7. V	nmental l nal inforn langerou Special p ipplicable	nation is goods according to ADF recautions for user e. transport in bulk accordi				
SECTIC	N 15: Re	gulatory information				
▼ Re: N ▼ De N ▼ SE ^N N ▼ Ad Sour In bi	strictions o special mands fc o specific /ESO - Ca ot applica ditional in ot applica ces accorda ocidal pr	for application or specific education requirements. ategories / dangerous sub able. nformation able. nce with Regulation (EU) I oducts as retained and ar	No 528/2012 concerning the making av nended in UK law.	ailable on the ma	arket an	d use of
re Re (R	egulation tained ar egulation EACH) as	n (EC) No 1272/2008 on cla nd amended in UK law.	December 2014 on waste as retained a ssification, labelling and packaging of s rning the Registration, Evaluation, Autl ו UK law.	substances and n	nixtures	
re Re (R 15.2. Ch No	egulation tained au egulation EACH) as emical sa	ו (EC) No 1272/2008 on cla nd amended in UK law. ו (EC) No 1907/2006 conce s retained and amended in	ssification, labelling and packaging of s	substances and n	nixtures	



CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information Not applicable. ▼ The safety data sheet is validated by **Product Safety Department**

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en